

Eye Exam – Cheat Sheet

| | | | |
|------------------|------------------------|------------------------------|----------------------------|
| Weight: 1 | Current Star: 3 | Current Standing: 70% | Next Threshold: 78% |
|------------------|------------------------|------------------------------|----------------------------|

| |
|--|
| Star Measure Description |
| The percent of plan members with diabetes who had an eye exam to check for damage from diabetes during the year. |

| |
|--|
| Measure Source |
| <ul style="list-style-type: none"> • Chart Review & Claims • 1/1 – 12/31 |

| |
|--|
| Requirement Specifications |
| The percentage MA members between 18 and 75, with diabetes, (type 1 and type 2) who had an eye exam (retinal) performed during the measurement year. |

| |
|--|
| Best Practice/ Call to Action |
| <ul style="list-style-type: none"> • Patients with type 2 diabetes should have an initial dilated and comprehensive eye examination by an ophthalmologist or optometrist at the time of the diabetes diagnosis. • If there is no evidence of retinopathy for one or more annual eye exams, then exams every two years may be considered. • Refer patients to ophthalmology or optometry for dilated retinal exam • May refer for Retinal Camera. |

| Star Ratings Performance Trends & Cut Points | | | | | |
|---|---------------|----------------|----------------|----------------|---------------|
| <u>Year</u> | <u>1-Star</u> | <u>2-Star</u> | <u>3-Star</u> | <u>4-Star</u> | <u>5-Star</u> |
| 2020 | < 63% | ≥ 63% to < 69% | ≥ 69% to < 73% | ≥ 73% to < 78% | ≥ 78% |
| 2019 | < 56% | ≥56% to <64% | ≥64% to <73% | ≥73% to <80% | ≥ 80% |
| 2018 | < 47% | ≥47% to <59% | ≥59% to <72% | ≥72% to <81% | ≥ 81% |
| 2017 | < 46% | ≥46% to <61% | ≥61% to <73% | ≥73% to <81% | ≥ 81% |