

Eye Exam – Cheat Sheet

Weight: 1	Current Star: 3	Current Standing: 70%	Next Threshold: 78%
------------------	------------------------	------------------------------	----------------------------

Star Measure Description
The percent of plan members with diabetes who had an eye exam to check for damage from diabetes during the year.

Measure Source
<ul style="list-style-type: none"> Chart Review & Claims 1/1 – 12/31

Requirement Specifications
The percentage MA members between 18 and 75, with diabetes, (type 1 and type 2) who had an eye exam (retinal) performed during the measurement year.

Best Practice/ Call to Action
<ul style="list-style-type: none"> Patients with type 2 diabetes should have an initial dilated and comprehensive eye examination by an ophthalmologist or optometrist at the time of the diabetes diagnosis. If there is no evidence of retinopathy for one or more annual eye exams, then exams every two years may be considered. Refer patients to ophthalmology or optometry for dilated retinal exam May refer for Retinal Camera.

Star Ratings Performance Trends & Cut Points					
Year	1-Star	2-Star	3-Star	4-Star	5-Star
2020	< 63%	≥ 63% to < 69%	≥ 69% to < 73%	≥ 73% to < 78%	≥ 78%
2019	< 56%	≥56% to <64%	≥64% to <73%	≥73% to <80%	≥ 80%
2018	< 47%	≥47% to <59%	≥59% to <72%	≥72% to <81%	≥ 81%
2017	< 46%	≥46% to <61%	≥61% to <73%	≥73% to <81%	≥ 81%